



Avaya

7691X Exam

**Avaya Mobility Networking Solutions Troubleshooting and
Maintenance Exam**

Thank you for Downloading 7691X exam PDF Demo

You can Buy Latest 7691X Full Version Download

<https://www.certkillers.net/Exam/7691X>

<https://www.certkillers.net>

Version: 8.0

Question: 1

Which processes are used to upgrade the Ignition Server firmware?

- A. 1) Open the Upgrade Firmware view of Dashboard.2) Select Configuration Hierarchy.3) Launch the Firmware Manager.4) Select the firmware Image tab.5) Select Upload.
- B. 1) Open the Configuration view of Dashboard.2) Select your site in the Configuration Hierarchy.3) Launch the Firmware Manager.4) Select the firmware Image tab.5) Select Upload.
- C. 1) Open the Firmware Upgrade view.2) Select the firmware to upgrade.3) Launch the Firmware Manager.4) Select the firmware image.5) Select Upload.
- D. 1) Open the Upgrade Firmware view of Dashboard.2) Select Firmware upload Hierarchy.3) Launch the Firmware Manager.4) Select the firmware Image tab.5) Select Upload.

Answer: B

- 2. Open the Configuration view of Dashboard.
- 3. Select your Site (by default, the name is Site 0) in the Configuration Hierarchy section of the Configuration view of Dashboard.
- 4. Launch the Firmware Manager window by selecting the command, Actions → Upgrade System).
- 5. Select the firmware Image or Package tab.
- 6. In the Upgrade System window, navigate to find the firmware image or package you downloaded earlier. Click on the file name and click Upload. (Page no: 403)

Question: 2

A customer implements and supports 1000 Access Points in a single RF cloud.
Which two RF characteristics would you recommend to the customer? (Choose two.)

- A. They need to use different Access Points with different SSIDs.
- B. They need to create separate roaming zones.
- C. They need to implement more numbers of antennas.
- D. They need to limit the number of broadcast domains.

Answer: C,D

Question: 3

While implementing QoS on a WLAN, it is recommended to configure a minimum of SSIDs, and prioritize voice and video traffic over general traffic.
How is the QoS implemented on WLAN networks?

- A. QoS must be implemented for management VLAN only.
- B. QoS must be always implemented end-to-end across the network.
- C. QoS must be implemented for voice VLAN only.
- D. QoS must be enforced on video and voice traffic only.

Answer: C

Question: 4

When the Wireless Orchestration System (WOS) is set back to factory defaults by using the Factory Reset feature, which two settings are retained? (Choose two.)

- A. Access Point profiles
- B. date and time
- C. Access Point Configurations
- D. WOS Admin logins
- E. the network

Answer: B,E

WOS server back to all of its factory default settings, except that Network Settings and Date and Time Settings are retained.

Question: 5

To reset the Wireless Orchestration System (WOS), which process will an IT Administrator follow?

- A. Maintenance > Factory Reset
- B. WOS Dashboard > Maintenance > Factory Reset
- C. Navigate to Settings > WOS Dashboard > Factory Reset
- D. Navigate to Settings > Maintenance > Factory Reset

Answer: A

Question: 6

Refer to the exhibit.

System	Interfaces	Firewall	Services	Status	Diagnostics	Logout																						
Status: Dashboard																												
System Information <table border="1"> <tr> <td>Name</td> <td>ap4.ide-wlan.com</td> </tr> <tr> <td>Version</td> <td>9.2.1 (amd64) Built on Sat Apr 09 05:52:33 PDT 2016 FreeBSD 8.3-RELEASE-p 16</td> </tr> <tr> <td>Platform</td> <td>Code from pfSense® software revised on Feb 9th 2015</td> </tr> <tr> <td>CPU Type</td> <td>Intel(R) Xeon(R) CPU X7550 @ 2.00GHz 2CPUs: 1 package(s) x 2 core(s)</td> </tr> <tr> <td>Uptime</td> <td>2 Days 04 Hours 46 Minutes 45 Seconds</td> </tr> <tr> <td>Current date/time</td> <td>Thu Dec 1 13:42:13 GMT 2016</td> </tr> <tr> <td>DNS server(s)</td> <td>127.0.0.1 192.168.50.10</td> </tr> <tr> <td>Last config change</td> <td>Wed Nov 30 13:41:01 GMT 2016</td> </tr> </table>		Name	ap4.ide-wlan.com	Version	9.2.1 (amd64) Built on Sat Apr 09 05:52:33 PDT 2016 FreeBSD 8.3-RELEASE-p 16	Platform	Code from pfSense® software revised on Feb 9 th 2015	CPU Type	Intel(R) Xeon(R) CPU X7550 @ 2.00GHz 2CPUs: 1 package(s) x 2 core(s)	Uptime	2 Days 04 Hours 46 Minutes 45 Seconds	Current date/time	Thu Dec 1 13:42:13 GMT 2016	DNS server(s)	127.0.0.1 192.168.50.10	Last config change	Wed Nov 30 13:41:01 GMT 2016	Interfaces <table border="1"> <tr> <td>ADMIN</td> <td>lex></td> </tr> <tr> <td>IN</td> <td>lex></td> </tr> <tr> <td>OUT</td> <td>lex></td> </tr> </table>		ADMIN	lex>	IN	lex>	OUT	lex>	Diagnostics <ul style="list-style-type: none"> ARP Table Authentication Backup/Restore DNS Lookup Factory Defaults Halt System Packet Capture pfInfo PfTop Ping Reboot Routes Sockets Test Port Traceroute 		
Name	ap4.ide-wlan.com																											
Version	9.2.1 (amd64) Built on Sat Apr 09 05:52:33 PDT 2016 FreeBSD 8.3-RELEASE-p 16																											
Platform	Code from pfSense® software revised on Feb 9 th 2015																											
CPU Type	Intel(R) Xeon(R) CPU X7550 @ 2.00GHz 2CPUs: 1 package(s) x 2 core(s)																											
Uptime	2 Days 04 Hours 46 Minutes 45 Seconds																											
Current date/time	Thu Dec 1 13:42:13 GMT 2016																											
DNS server(s)	127.0.0.1 192.168.50.10																											
Last config change	Wed Nov 30 13:41:01 GMT 2016																											
ADMIN	lex>																											
IN	lex>																											
OUT	lex>																											

How do you reset Access Portal from the Diagnostics view?

- A. Navigate to Diagnostics > Defaults
- B. Navigate to Diagnostics > Factory Defaults
- C. Navigate to Diagnostics > Maintenance
- D. Navigate to Diagnostics > Reset Defaults

Answer: B

Thank You for trying 7691X PDF Demo

To Buy Latest 7691X Full Version Download visit link below

<https://www.certkillers.net/Exam/7691X>

Start Your 7691X Preparation

[Limited Time Offer] Use Coupon “CKNET” for Further discount on your purchase. Test your 7691X preparation with actual exam questions.

<https://www.certkillers.net>